

QUOTATION

Rosenbauer America

Northeast Demo Safe Scene (General)

Exp. Date: 06/22/2008  
 Quote No: 10052-0048

Job/Order No: 2915

**BID PREP:** G0-09-0010 General Pmpr/Tnkr Bid Prep Forms-BR  
**CHS MODS:** G0-10-0000 General Pmpr/Tnkr Chassis Modifications  
**PLUMBING:** G0-20-0000 General Midship Pmpr/Tnkr Pump&Plumbing  
**PUMP COMPT:** G0-26-4000 General Pmpr/Tnkr-SafeScene Pump Cmpt  
**BODY-PMPR:** G0-30-1400 General HLHD / HRHD SA Pmpr/Tnkr  
**BODY-CMMN:** G0-44-0000 General Pmpr/Tnkr Common Body Parts  
**ELEC-DC:** G0-50-0000 General Pmpr/Tnkr-DC Electrical System  
**ELEC-AC:** G0-60-0000 General Pmpr/Tnkr-AC Electrical System  
**EQUIP-SYST:** G0-70-0000 General Pmpr/Tnkr-Equipment Systems  
**PAINT:** G0-80-0000 General SA Pmpr/Tnkr - Pnt/Ltr/Str  
**EQUIP-LSE:** G0-90-0000 General Pmpr/Tnkr - Loose Equipment

03/11/2009

Page 1

PART NO	S	QTY	DESCRIPTION
		1	== General Pmpr/Tnkr Bid Prep Forms-BR - 328.000 03/31/08 =
00-00-0003		1	== Pricing as of Rosenbauer QW Release December 2, 2008 ==
00-00-1300		1	Fire Department Name
00-12-1000		1	Financial Stability Specifications
01-16-0150		1	-- Warranty, Apparatus, Bumper to Bumper, 1 Year, BR
01-19-0460		1	-- Warranty, Bdy, Alum, 20 Years, Transferable, BR
01-19-2450		1	-- Warranty, Subframe, 20 Year Alum, Transferable, BR
01-20-0360		1	-- Warranty, Paint, PPG, 7 Years, General, BR
01-17-0850		1	-- Pump Warranty, Rosenbauer, BR
02-14-6250		1	Plmbg Warranty, Stnls Stl, 10 Years, BR
01-33-3100		1	-- Mnls, Bdy Complete, 1 Set Printed With CD, BR
02-90-1700	>	1	Chassis, Spartan Cstm
		1	== General Pmpr/Tnkr Chassis Modifications - 328.000 03/31/
10-01-1100		1	Vehicle Dimensions, Sngl Axle
10-02-1100		1	Label, Data, Fluid Levels
10-02-1200		1	Label, Data, Height x Width x Length, Weight
10-02-1300	>	1	Label, Data, "No Ride" Rr Step
10-02-2100	>	1	Label, Indicating Number of Seats

PART NO	S	QTY	DESCRIPTION
10-03-6000		1	Tow Plates (2), Rr Frame Rail, Under Step
80-43-2400		1	-- Painting, Tow Plates, Blk
10-04-2110		1	Bumper Ext, With Chs
10-04-2310		1	-- Bumper Gravelshield, With Chs
10-04-2520		1	Bumper Cmpt Pkg., By Bdy Bldr
10-04-2530		1	-- ===== Bumper Compts - Driver/Center/Officer =====
10-04-2710		1	-- Bumper Cmpt, Center, Reel Cmpt
10-04-2939		1	-- === NO Turtle Tile Bumper Cmpt - Pick to Select ===
10-04-3170		1	-- Bumper Cmpt Door, Alum T/P, Raised 3/4 Opening
10-04-3560		1	Bumper, w/Chassis
10-06-1200		1	Whl Cvr, Hub/Lug, Install Chs Supl'd, Sngl Axle
10-07-1200		1	-- Exhaust, Extension Under RH, Bdy
10-08-1300		1	Mud Flaps, Front Whls, Blk, w/ Bdy
10-08-2100	>	1	Mud Flaps, Rr Whls, Blk, w/ Bdy
		1	== General Midship Pmpr/Tnkr Pump&Plumbing - 328.000 03/31/
20-27-1100	>	1	-- Pump, Rosenbauer, NH55-1250 GPM, NPHP, Mid-ship PTO
01-17-0850		1	-- Pump Warranty, Rosenbauer, BR
27-10-3500	>	1	-- Pressure Gvrnr, FRC, In-Cntrl, w/Bdy TGA400
27-30-1200		1	-- Hour Meter, Pump, Pump Panel
20-27-6200		1	-- Primer, Rosenbauer, Automatic
20-28-3400		1	-- Pump Shift, Rosenbauer, PTO, Pump and Roll
27-03-1800	< >	1	-- Gauge, Dschg, Digital, In Cab, Pump and Roll HP displayed on VMUX.
20-28-4010		1	-- Supply Valve, High Pressure, Elec
20-28-4100	>	1	-- High Pressure Plumbed to Bumper Turret
20-28-4200	>	1	-- High Pressure Plumbed to Hose Reel

PART NO	S	QTY	DESCRIPTION
21-00-2000		1	-- Anodes, Pump
21-00-3300		1	-- Piping, Stnls Stl - 1250 GPM & Up
21-01-0200	>	1	-- Pump Drain, Master, Manifold, Push Pull Type
21-01-5500		1	-- Intk Manifold, Stnls Stl
21-01-6500		1	-- Dschg Manifold, Stnls Stl
21-01-7100		1	-- Painting, Pump & Piping, Silver
21-01-8100		1	-- Threads, National Hose (NST)
22-24-3200		1	-- Intk, Gtd, 6", Air Operated, RH Side, Bhnd Pnl
22-41-5700	>	1	-- Cap, 6", Chrome Long Hndl
22-51-8810	>	1	-- Tank-To-Pump, Water Tank, 4", Tmbrwlf
23-02-1200		1	-- Tank Fill/Cooling Line, Water Tank, 1-1/2"
24-61-1165	>	1	-- Vlv Mfgr, AKR, 8800, (1-1/2"), KZCO Elec Cntrl
24-53-6100	>	1	-- Vlv Cntrl, AKR, 1.5" Elec, KZCO
25-08-2220	<	1	-- Foam Capability, HP-FIXMIX & NP Foam Pro - Tmbrwlf Foam Pro plumbed to the normal pressure side to allow foam on specified normal pressure discharges.  A Rosenbauer Fix Mix automatic foam proportioning system plumbed to the high pressure side to allow foam on all high pressure discharges.
25-06-3110	< >	1	-- Foam Sys, F/PRO, 2001 Pkg, Cls A/B, 2.6G, 12V - Tmbrwlf NP foam plumbed to speedlays.
25-09-1100		1	-- Remote Foam Activation Swtch and Lt
25-08-1200	>	1	-- Foam System, RBA, Fix Mix, Pump Panel and Cab Cntrl
25-09-1100		1	-- Remote Foam Activation Swtch and Lt
25-20-1200		1	-- Foam Plmbg, Sngl Class A Tank, 1" Mnl Vlv
25-21-1500		1	-- Foam Tank, Intgrl Poly, 30 Gal, Class A
25-22-9300		1	-- Foam Tank, UPF
25-23-1000		1	-- Foam Tank Drain, 1" Gate Vlv, Under Tank
27-36-2100	S <	1	-- Foam Tank Gauge, in Cab, Digital, VMUX Digital foam tank gauge, display in VMUX
27-36-1100	>	1	-- Foam Tank Gauge, FRC, Class A, Pump Panel
20-30-3200		1	-- Pump Instln, Midship PTO, By Bdy Bldr
20-31-1000		1	Fire Pump Testing - Pumpers/Tankers
20-31-1100		1	-- Pump Test, UL
20-31-1500		1	-- Pump Test, Label
20-31-3200	>	1	Dump-Relief Vlv, Suction Side, ELK #240
20-31-5200	>	1	Heat Exchanger, Engine, Complete
20-31-5300		1	Heat exchanger, Hose, Silicone
22-23-1000		1	===== Front RH Bumper 6" Gtd, Intks - Pick to Select =====
22-23-1200		1	-- Intk, Gtd, 6" NST, 5" Air Operated Vlv, Front RH Bumper
22-23-2800		1	-- Intk, Frnt, RH Vert, Abv Bumper, S/S Pipe (Cstm)
22-40-1400		1	-- Elbow, 90 Deg Swivel, 6", Chrome Pltd Brass
22-41-5720		1	-- Cap, 6", Color Coded, Long Hndl
22-12-3100		1	Intk, Aux, Gtd, 2-1/2", Right Side
22-41-1120		1	-- Plug, 2-1/2", Color Coded, Rocker Lug, w/Chain



PART NO	S	QTY	DESCRIPTION
23-13-3200		1	Dschg, 2-1/2", Right Rr
21-01-2302		1	-- Dschg Bleeder, Class 1, Mnl 1/4 Turn - Spec Only
24-02-1200	>	1	-- Elbow, 2-1/2"F x 2-1/2"M, Chrome
24-03-1420		1	-- Cap, 2-1/2", Color Coded, Rocker Lug, w/Chain
24-61-2270		1	-- Vlv Mfger, ELK, (2-1/2"), Elec Cntrl
24-54-3100		1	-- Dschrg Vlv Cntrl, ELK, 2-1/2" Elec
24-54-4100		1	-- Dschrg Vlv Cntrl, ELK, 2-1/2" Elec, #UBEC2 Pres Mtr
23-14-2510	>	1	Dschg, 1-1/2", Front RH Bumper Monitor, Tmbrwlf
23-14-2560		1	-- Dschg, 1-1/2", Front Bumper Monitor, Plumbed High Pressure
24-17-2110	< >	1	-- Mntr, TFT, Frnt Bmpr, Elec, Tmbrwlf
			When a bumper turret is required, proper switching shall be provided in the cab for operation of high pressure water to the turret within reach of the Driver and Officer.
			Order with TFT model B-TO-ER nozzle.
			Must have air blow out.
27-03-1910	S <	1	-- Gauge, Dschg, VMUX, in cab. Digital Gauge to VMUX
27-37-3010	>	1	-- Air Blow Out, Tmbrwlf
24-11-3200		1	Monitor Dschg, 3", Over Midship Pump Enclsr
21-01-2300	>	1	-- Dschg Bleeder, Class 1, Mnl 1/4 Turn
24-17-1200		1	-- Mntr, TFT, Hurricane, RC, Alum, 3"FL x 2.5"M NH, No Nzl
24-17-1900		1	-- Mntr, Wireless Remote Cntrl
24-18-7200		1	-- Nzl, Mstr Strm, TFT, M-R, 1250GPM
24-18-8400		1	-- Mntr, Tele Ext, TFT Elec
24-61-2320		1	-- Vlv Mfger, ELK, (3"), Elec Cntrl
24-54-3200		1	-- Dschrg Vlv Cntrl, ELK, 3" Elec
24-54-4200		1	-- Dschrg Vlv Cntrl, ELK, 3" Elec, #UBEC2 Pres Mtr
24-30-5800	>	1	-- Hose Reel, HAN, Frnt Bmpr, Alum
24-31-1100		1	-- Hose Reel, Alum Cvr Over Reel
24-31-2100		1	-- Hose Reel, Rwnd Cntrl, Weatherproof Push Button
24-32-1210	>	1	-- Dschg, Hose Reel, 1", Class 1 Valve
24-32-1800		1	-- Dschg, Hose Reel, Plmbd to High Pressure
24-33-1300	>	1	-- Hose, Water, 800#, 3/4" x 150', 50' Lengths
24-33-7200	>	1	-- Nzl, Rosenbauer, Servo-Nepiro, High Pres
24-33-8000		1	-- Nzl, Mtg, Hose Reel
24-33-9080		1	-- Roller, Hose Reel, Front
27-37-3150	>	1	-- Air Blow Out, Hose Reel, Chassis Air
		1	== General Pmpr/Tnkr-SafeScene Pump Cmpt - 111.080 10/09/08
26-25-1100	>	1	-- Pump Enc, Top Mt, Safe-Scene, E/Alum, 45"W, S/lays
26-30-1150		1	Rng Brd, RH Pump Panel, Alum T/P, SM
26-35-6100		1	Pump Control Panel, LogicColor
26-31-1300		1	Pump Side Access Door, Upper RH, S/S
26-31-4000		1	Frnt Access Pump Panel, Alum T/P, Rmvbl, Latches
26-35-3300		1	Pump Panel, Stnls Stl, LH/RH/Top, TM
26-35-1100		1	-- Pump Panel, Bltd, LH
26-35-1200		1	-- Pump Panel, Bltd, RH

PART NO	S	QTY	DESCRIPTION
26-55-1100		1	Labels, Test Data and Safety Placards
26-55-2050		1	Labels, Color Coded
26-56-1100		1	Pump Panel Lt, Midship LH, With Swtch
26-56-1200		1	Pump Panel Lt, Midship RH
26-56-2000		1	Pump Panel Lt, Actuated w/Pump Engagement
27-01-4100	>	1	Gauge, Test Taps
27-35-1300	S < >	1	Water Tank Gauge, Digital, VMUX Display in Cab Digital water tank indicator shall be installed to be read on the VMUX Vista display in the chassis cab.
27-35-1100	>	1	Water Tank Gauge, FRC, TankVision, Pump Panel
		1	PUMP PANEL HANDRAILS
		1	== General HLHD / HRHD SA Pmpr/Tnkr - 328.000 03/31/08 ==
25-28-1160	>	1	Water Tank, 750 Gal, Pmpr/Tnkr , Poly, Rect
25-42-1100	>	1	-- Water Tank, Base Specs, Poly
25-42-1200		1	-- Water Tank, UPF, Base Specs, Poly
01-18-0450		1	-- Warranty, Water Tank, UPF, BR
25-44-1700		1	-- Water Tank, Fill Tower, 10" x 10", General
25-50-1400		1	-- Water Tank Clean-out & Plug, 3"
29-00-2400	< >	1	Hosebed, Pmpr, <168" L, HD, 71" Wide - MN Hose bed as low as possible.
29-10-1050		1	Hosebed, Grating, Extrd Alum, <168" Long - MN
29-10-5100		1	-- Hosebed, Strge Cpcty, 55 Cubic Feet, Minimum
29-10-5700		4	-- Hosebed, Strge Cpcty 3" DJ Hose (50-ft Lngth)
29-10-6000		12	-- Hosebed, Strge Cpcty 5" LDH SJ Rubber (100-ft)
29-10-8150		2	Hosebed, Divider, 1/4" Alum - MN
29-10-8300		2	-- Hosebed, Divider, Handhole Cutouts
29-10-8550		1	Hosebed, Partition, Front of Hosebed, > 48" - MN
29-20-3550		1	Hosebed Cvr, Alum T/P, <168" L, 49-74" Wide - MN
29-20-6700		1	-- Pwr Oprtd, Hosebed Cvr, Alum T/P, <180" L
29-10-8160		1	-- (1) Main Hosebed Divider (Stationary)
29-20-7700	<	2	-- Hosebed Cvr, Underside Strge for Backboard One each side. Right side to be moved towards left to allow for hard suction storage.
29-20-7700		2	-- Hosebed Cvr, Underside Strge for Backboard
29-20-7800	>	1	-- Rr Vinyl Flaps for Alum Cvr
29-20-7200		1	Hosebed Lts, Recess In Sides, Rr Swtch
		1	BODY CONSTRUCTION
30-01-2000	<	1	Bdy Const - General Extrd Alum - SA Pmpr/Tnkr Top of body to be horizontally even with 10.00" raised roof portion of cab.
30-01-2250		1	-- Electrolysis Corrosion Cntrl
30-10-1500		1	-- Sub-Frame, Alum, SA Pmpr/Tnkr , General
44-05-1200		1	-- Whl Well Panel, Alum, Pntd, Sngl Axle
30-02-1920		1	Side Body Header, Painted, General
31-01-5070		1	100" OAW, 26" Full Dpth Both Sides, HL/HR
31-01-5354	>	1	SafeStep, Roll Up Drs, Outside Cmpt, HL/HR, 160" Bdy
30-02-1700	<	1	-- Drs, Roll-Up/Safe Step, Outside Cmpt, Specs, General

PART NO	S	QTY	DESCRIPTION
			The double stick tape is to be installed vertically to allow water to flow downwards behind the panel.
30-02-1250		> 7	-- Dr Strap, Pull Down
30-02-1210		1	-- Dr Locks, Roll-Up, Ea
30-02-1780		1	-- Finish, Safe Step, Mirror Stainless, Specs, General
31-01-5300		1	-- Bdy, General HD Extrd Alum, Pmpr/Tnkr , 160"
32-05-4079		1	-- Cmpt Height, 79" High Left, High Side, RU Drs
32-05-6260		1	-- Ahd Rr Whls-44" Full Ht Cmpt-Roll Up Outside Cmpt
55-01-1250	S <	1	-- Cmpt Lt, Wall, On-Scene, LED Track Lt, (2) Ea Cmpt On-Scene LED
55-06-1100		> 1	-- Cmpt Lt, Dr Swtch, Auto, Ea
32-05-7036		1	-- Abv Rr Whls-52" Sngl Cmpt, No Hyd Rack-RU Outside Cmpt
55-01-1250	S <	1	-- Cmpt Lt, Wall, On-Scene, LED Track Lt, (2) Ea Cmpt On-Scene LED
55-06-1100		> 1	-- Cmpt Lt, Dr Swtch, Auto, Ea
32-05-8060	S <	1	-- Bhd Rr Whls-48" Full Ht Cmpt - Roll Up Outside Cmpt There shall be one (1) 48" wide full height compartment located behind the rear wheels. The compartment shall be equipped with a full height single natural finish roll up door.
55-01-1250	S <	1	-- Cmpt Lt, Wall, On-Scene, LED Track Lt, (2) Ea Cmpt On-Scene LED
55-06-1100		> 1	-- Cmpt Lt, Dr Swtch, Auto, Ea
32-06-4079		1	-- Cmpt Height, 79" High Right, High Side, RU Drs
32-06-6260		1	-- Ahd Rr Whls-44" Full Ht Cmpt-Roll Up Outside Cmpt
55-01-1250	S <	1	-- Cmpt Lt, Wall, On-Scene, LED Track Lt, (2) Ea Cmpt On-Scene LED
55-06-1100		> 1	-- Cmpt Lt, Dr Swtch, Auto, Ea
32-06-7050		1	-- Abv Rr Whls-52" Sngl Cmpt w/o Hyd Rack-RU Outside Cmpt
45-00-5505		> 1	-- Upr Hgh Sde Cmpt(s), Right, Cmpt Provisions, General
55-01-1250	S <	1	-- Cmpt Lt, Wall, On-Scene, LED Track Lt, (2) Ea Cmpt On-Scene LED
55-06-1100		> 1	-- Cmpt Lt, Dr Swtch, Auto, Ea
32-06-8060	S <	1	-- Bhd Rr Whls-48" Full Ht Cmpt-Roll Up Outside Cmpt There shall be one (1) 48" wide full height compartment located behind the rear wheels. The compartment shall be equipped with a full height single natural finish roll up door.
55-01-1250	S <	1	-- Cmpt Lt, Wall, On-Scene, LED Track Lt, (2) Ea Cmpt On-Scene LED
55-06-1100		> 1	-- Cmpt Lt, Dr Swtch, Auto, Ea

PART NO	S	QTY	DESCRIPTION
33-60-2100	>	1	Rr Bdy, Flat Back, General
32-08-5110		1	-- Rr Center Low Cmpt - Roll Up/Trans
45-00-6105		1	-- Rr Cmpt, Cmpt, Provisions, Pmpr/Tnkr, General
55-01-1250	S <	1	-- Cmpt Lt, Wall, On-Scene, LED Track Lt, (2) Ea Cmpt On-Scene LED
55-06-1100	>	1	-- Cmpt Lt, Dr Swtch, Auto, Ea
33-61-1620	S < >	1	-- Rr Step, General Bdy, Bolt-On, 16 Use the 16" Rr Step we have in stock.
33-61-5300		1	-- Rr Step, Grating, Up to 20" Deep
38-90-2050	S <	1	-- Access Ladder, Rosenbauer EZ Climb, Left Rr Add switch for door open warning system.
44-11-5150		1	Whl Well Cmpt, Ahd of Whls Left Side, General
44-10-1100	< >	1	-- Whl Well Cmpt, Sngl SCBA Tube, Alum Dr Specify the following: Brand: Model: Size:
44-11-5350		1	Whl Well Cmpt, Bhnd Whls Left Side, General
44-07-1300		1	-- Fuel Fill Door, LH Whl Well Panel
44-11-5550		1	Whl Well Cmpt, Ahd of Whls Right Side, General
44-10-1100	< >	1	-- Whl Well Cmpt, Sngl SCBA Tube, Alum Dr Specify the following: Brand: Model: Size:
44-11-5750		1	Whl Well Cmpt, Bhnd Whls Right Side, General
44-10-1100	< >	1	-- Whl Well Cmpt, Sngl SCBA Tube, Alum Dr Specify the following: Brand: Model: Size:
45-00-4425		1	Ahd Rr Whls, Left, Cmpt Provisions, General
44-40-1020	>	1	-- Vents, Compts, Louvers (Ea)
45-02-3100		1	-- Shelf, Adjust, Alum 3/16"
45-30-1125		1	-- Turtle Tile, Shelves/Trays, Exterior LwrCmpts, (each)
45-19-1200		1	-- Alum Peg Board on Rr Walls of Compts
45-00-4505	>	1	Upr Hgh Sde Cmpt(s), Left, Cmpt Provisions, General
44-40-1020	>	1	-- Vents, Compts, Louvers (Ea)
45-02-3100		1	-- Shelf, Adjust, Alum 3/16"
45-00-4625		1	Bhnd Rr Whls, Left, Cmpt Provisions, General
44-40-1020	>	1	-- Vents, Compts, Louvers (Ea)

PART NO	S	QTY	DESCRIPTION
45-02-3100		1	-- Shelf, Adjust, Alum 3/16"
45-30-1125		1	-- Turtle Tile, Shelves/Trays, Exterior LwrCmpts, (each)
45-06-1100		1	-- Slide Tray, 500#, Alum 3/16" (1/4 Dpth) Full Extension
45-30-1125		1	-- Turtle Tile, Shelves/Trays, Exterior LwrCmpts, (each)
45-00-5415		1	Ahd Rr Whls, Right, Cmpt Provisions, General
44-40-1020	>	1	-- Vents, Cmpts, Louvers (Ea)
45-02-3100		1	-- Shelf, Adjust, Alum 3/16"
45-30-1125		1	-- Turtle Tile, Shelves/Trays, Exterior LwrCmpts, (each)
45-00-5505	>	1	Upr Hgh Sde Cmpt(s), Right, Cmpt Provisions, General
44-40-1020	>	1	-- Vents, Cmpts, Louvers (Ea)
45-18-1100		1	-- Tool Board, Swing Out, 250#, 3/16" Alum
45-19-1200		1	-- Alum Peg Board on Rr Walls of Cmpts
45-00-5615		1	Bhnd Rr Whls, Right, Cmpt Provisions, General
44-40-1020	>	1	-- Vents, Cmpts, Louvers (Ea)
45-02-3100		1	-- Shelf, Adjust, Alum 3/16"
45-30-1125		1	-- Turtle Tile, Shelves/Trays, Exterior LwrCmpts, (each)
45-06-1100		1	-- Slide Tray, 500#, Alum 3/16" (1/4 Dpth) Full Extension
45-30-1125		1	-- Turtle Tile, Shelves/Trays, Exterior LwrCmpts, (each)
45-00-6105		1	Rr Cmpt, Cmpt, Provisions, Pmpr/Tnkr, General
44-40-1020	>	1	-- Vents, Cmpts, Louvers (Ea)
45-06-1100		1	-- Slide Tray, 500#, Alum 3/16" (1/4 Dpth) Full Extension
45-30-1125		1	-- Turtle Tile, Shelves/Trays, Exterior LwrCmpts, (each)
90-02-3200		1	Ladder Cmpt, Rr Center, Horz Thru Tank - <751 Gal - MN
90-03-0220		1	-- Ladders, Ground, Provd'd By Bdy Bldr, General
90-03-3300		1	-- Ladder, Roof, Duo-Safety, 14' Alum
90-06-4600		1	-- Ladder, Ext, Duo-Safety, 24' Alum, 2 Sect
90-02-5340		1	Fldg Attic Ladder Mntg, In Ladder Storage-MN
90-03-0230		1	-- Ladders, Fldg Attic, Provd'd By Bdy Bldr, General
90-08-2600	>	1	-- Ladder, Attic, Duo-Safety, 10' Alum, Fold
90-16-5420		4	Pike Pole Mtg, In Ladder Cmpt, Ea
90-16-6100		1	Pike Pole Provd'd By, Bdy Bldr
90-16-2300	>	2	-- Pike Pole, 6' Fbgls, Round Hndl
90-16-2800		2	-- Pike Pole, 10' Fbgls, Round Hndl
90-25-7420	S	2	Suction Hose Cmpt, Stacked in LH Hosebed
90-25-9100		1	Suction Hose Provd'd By, Bdy Bldr, General
90-25-3120	>	2	-- Suction Hose, Flex, Kocheck PVC, 6"x10'-MN
90-25-6100		2	-- Suction Hose Cplgs, Alum, LH FM x RLM
		1	== General Pmpr/Tnkr Common Body Parts - 328.000 03/31/08 =
33-65-1600		1	-- Steps, Fldg, Frnt, Right Hand (3)
33-70-3600	>	1	-- Handrails, Pmpr, Top of Bdy Sides, Frnt, 12", Pair
44-01-1500		1	-- Bdy Trim, Frnt Bdy, Ht of Side Cmpts, Brshd S/S
		1	REAR BODY DESIGN - GENERAL PUMPER/TANKER
44-01-4020		1	-- Bdy Trim, Rr Bdy, Smooth Alum for Chevron Stripe, General

PART NO	S	QTY	DESCRIPTION
44-07-4200		1	-- Fuel Tank, Removeable Access Panel
33-62-1600		1	-- Steps, Fldg, Rr Right Hand (3)
33-62-5300	<	1	-- Step, Bltd, Treadplate, Rr Intermediate, 48" To be mounted above Traffic Arrow.
33-70-1400	>	1	-- Handrails, Rr Step, Vert, 60", Pair
33-70-2200	>	1	-- Handrails, Pmpr, Below Hosebed, Horz, 60"
33-70-3100	>	1	-- Handrails, Pmpr, Top of Bdy Sides, Rr, 12", Pair
44-02-1220		1	-- Rub Rails, Lwr Bdy, General Extrd Alum, Reflective Strip
		1	UNDERBODY COMPARTMENTS
		1	== General Pmpr/Tnkr-DC Electrical System - 328.000 03/31/0
50-08-1000	>	1	Elecal, Base, Multi-Plex, Weldon V-MUX Bdy
55-11-1200	>	1	-- Dr Open/Hazard Wrn Lt, Flashing Red Lens
50-12-1090		1	Swtch Panel, Chassis Supl'd
50-15-1100		1	Batteries, With Supl'd Chs
50-15-3100		1	Battery Swtch , Mstr Disconnect, w/Chassis
50-15-5100		1	Battery Chrgr, Chs Supl'd
50-20-1300	>	1	Shore Power Inlet, KUSS Auto-Eject, W/Chassis
50-40-1100		1	Air Horns, Supl'd w/Chassis
50-43-1100		1	-- Air Horn Cntrl, Supl'd w/Chassis
		1	DOME-CABINET-INTERIOR-ENGINE-PUMP LtS
51-05-1100	>	1	Dome Lt, Chassis Supl'd
51-05-6300	>	1	Lt, Pump Cmpt, 12 Volt Incan With Swtch
52-01-1100		1	Back Up Alarm, w/Chassis

PART NO	S	QTY	DESCRIPTION
53-01-1200	>	1	Marker Lts, LED, DOT Requirements
53-02-1100	>	1	License Plate Brkt, Chrome w/ Lt, Rr
53-03-0060		1	Whelen Rr DOT LED Lgtng Pkg (4x6)
53-03-2600	>	1	-- Tail/Brake Lts, Whelen, LED, 4"x6"
53-04-2600		1	-- Turn Signals, Whelen, LED, 4"x6"
53-06-1500	>	1	-- Backup Lts, Whelen, Incan, 4"x6"
53-07-1200	>	1	-- Tail Lt Bezel, 4 Lts
54-02-1100		1	-- Ground Lts, Cab, Chassis Supl'd
54-03-1400	>	1	-- Ground Lts, Mid Bdy, LED, Pair
54-04-1999		1	-- Lt Swtch , Ground Lts w/ Park Brake
54-03-1600	>	1	-- Ground Lts, Rr Step, LED, Pair
54-04-1999		1	-- Lt Swtch , Ground Lts w/ Park Brake
54-03-1800	>	1	-- Ground Lts, Behind Rr Whls, LED, Pair
54-04-1999		1	-- Lt Swtch , Ground Lts w/ Park Brake
54-10-1300		2	Step Lt, Fxd /Fldg Step, LED, Ea
54-11-2100		2	-- Lt Swtch , Step/Wlkwy Lts Wired Park Brake Swtch
54-10-1450		2	Step Lt, Rr Step, LED, Ea
54-11-2100		2	-- Lt Swtch , Step/Wlkwy Lts Wired Park Brake Swtch
54-15-5500		1	Scene Lt Lctn, Left Side Of Bdy
54-15-1300	>	2	-- Scene Lt, Whelen, Halogen, 7"x9", 12 Deg Angle
54-15-5600		1	Scene Lt Lctn, Right Side Of Bdy
54-15-1300	>	2	-- Scene Lt, Whelen, Halogen, 7"x9", 12 Deg Angle
54-15-5700		1	Scene Lt Lctn, Rr Of Bdy
54-15-1300	< >	2	-- Scene Lt, Whelen, Halogen, 7"x9", 12 Deg Angle To be located vertically between Upper Warning Lights i.e. Red Warning Scene Amber Warning
54-15-6400	>	1	Scene Lt Swtch , Left Scene Lts, Cab
54-15-6500	>	1	Scene Lt Swtch , Right Scene Lts, Cab
54-15-6700		1	Scene Lt Swtch , Rr Scene Lts, Auto w/ Reverse
56-01-1100		1	Siren, Elect, Supl'd w/Chassis
56-02-1100		1	Spkr, Chassis Supl'd
	S <	1	EMERGENCY LIGHTING PACKAGES All Warning Lights to be Clear Lens, Colored LED
57-02-1150	>	1	-- Lt Bar, Whelen, Ultra Freedom, #FN72QLED, LED, 72"

PART NO	S	QTY	DESCRIPTION
58-71-1720	S < >	2	-- Wrn Lts, Whelen, Upper Rr (2) #900 S LED 1 Pair Clear Lens, Red LED 1 Pair Clear Lens, Amber LED Diagonal Flash Pattern i.e. Red/Amber Amber/Red
58-01-1100		2	-- Bezels, Chrome, Wrn Lts (1 pair)
58-46-1720	S < >	1	-- Wrn Lts, Whelen, Upper Side Front (2) #900 S LED Clear Lens, Red LED
58-01-1100		1	-- Bezels, Chrome, Wrn Lts (1 pair)
58-61-1720	S < >	1	-- Wrn Lts, Whelen, Upper Side Rr (2) #900 S LED Clear Lens, Red LED
58-01-1100		1	-- Bezels, Chrome, Wrn Lts (1 pair)
58-02-1100		1	-- Wrn Lts, Low Frnt, Chs Supl'd
58-08-1100		1	-- Side Facing Front LwrLts, With Chs
58-36-1520	S < >	1	-- Wrn Lts, Whelen, Low Rr Side (2) #600 SLED Clear Lens, Red LED
58-01-1100		1	-- Bezels, Chrome, Wrn Lts (1 pair)
58-81-1520	S < >	1	-- Wrn Lts, Whelen, Low Rr (2) #600 S-LED Clear Lens, Red LED
58-91-1700		1	Traffic Arrow Lt, Whelen, 46" LED, TAL85
58-95-1400		1	Traffic Arrow Lt Mntg, Surface Mt, Below Rr Step
		1	== General Pmpr/Tnkr-AC Electrical System - 328.000 03/31/0
60-15-1500	S < >	1	-- Gntr, Onan Hyd, 10KW, 120/240V, 1 PH Per ML, use Refurb 15kW Onan in stock.
60-20-3600		1	-- Gntr Install, Fxd , Hyd Driven, Base Specs
60-20-3700		1	-- Gntr Testing, Only Required For Units >8KW
60-20-4150	>	1	-- Circuit Breaker Box, 9 to 15KW, 1 PH
60-15-9300	>	1	-- Gntr, Hyd, Engage By PTO Swtch in Cab
60-20-1100		1	-- Gntr Mtg, Over Pump Enclsr

PART NO	S	QTY	DESCRIPTION
60-20-5120		1	-- Gnrtr Breaker Lctn, Left Front Side Compt
60-20-7200		1	-- Gnrtr Instrmnt Panel Lctn, Pump Panel
60-20-8300		1	-- Gnrtr Wiring, Combo, SO & THHN
60-25-9200	>	1	Shore Power Inlet, Supply Gen Panel, 10 Amp, 120V
60-30-2600	>	1	Rcptcl Lctn, Left Side, Whl Well, Ea
60-25-2000	>	1	-- Rcptcl, 120V, 20 Amp, L5-20, Twst Lck
60-30-2700	>	1	Rcptcl Lctn, Right Side, Whl Well, Ea
60-25-2000	>	1	-- Rcptcl, 120V, 20 Amp, L5-20, Twst Lck
60-30-2900		1	Rcptcl Lctn, Left Rr Face, Exterior Bdy, Ea
60-25-2000	>	1	-- Rcptcl, 120V, 20 Amp, L5-20, Twst Lck
60-30-3000		1	Rcptcl Lctn, Right Rr Face, Exterior Bdy, Ea
60-25-2000	>	1	-- Rcptcl, 120V, 20 Amp, L5-20, Twst Lck
61-01-3100	>	1	-- Cable Reel, Hannay ECR1600, Elec Rwnd, 120V 50A 3 Wire BLK
61-02-1870	>	1	-- Cable Reel Lctn, Right Side, Bhnd Rr Whls Cmpt, Upper
61-03-3400		1	-- Cable, Elec, 120V, 200' 10/3 Blk
61-04-7200		1	-- Cable Rcptcl, 120V, 3-Prong, Twst Lck
61-04-8100	>	1	-- Roller Assy, Cable Reel, 4-Way, Poly Rollers
61-05-1200		1	-- Jct Box, AKR/GFE, (4)-120V L5-20 Twst Lck
61-05-4000		1	-- Jct Box, Holder, Brushed Alum
63-14-1500		1	Fldlt Lctn, Abv Bdy Cmpts, Fxd , Both Sides
62-03-4200	S < >	2	-- Fldlgt, FRC, Opti, 750W-120V, 4" Recess in Bdy To be horizontally centered on body.
63-15-1200	>	1	Fldlt Cntrl Swtch , Cab Lts
63-15-1300	>	1	Fldlt Cntrl Swtch , Left Side Bdy Lts
63-15-1400	>	1	Fldlt Cntrl Swtch , Right Side Bdy Lts
		1	== General Pmpr/Tnkr-Equipment Systems - 328.000 03/31/08 =

PART NO	S	QTY	DESCRIPTION
		1	== General SA Pmpr/Tnkr - Pnt/Ltr/Str - 328.000 03/31/08 ==
80-05-5200		1	Bdy Paint, Pmpr/Tnkr, Sngl Color - MN
80-30-1250	< >	1	Compt Finish, Spatter Coat, Up to 8 Cmpts - MN Grey Zolotone
80-40-1250		1	Whl Finish, By Chassis Manufacturer
80-42-1500		1	Bdy Paint, Touch Up, 2 oz. Bttl, One Color
80-43-2500		1	Painting, Handrails, Ylw
80-44-1300		1	Undercoating, Cab, 4 Door, Cstm
80-44-1400		1	Undercoating, Bdy, Sngl Axle
80-50-1100		1	Lettering Supl'd by Dealer
80-70-1100	>	1	Stripe, Reflective, Supl'd by Dealer
80-72-1000	<	1	Stripe, Reflective, Chevron Pattern Frnt Bmpr Red/Amber Diamond Grade
80-72-1100	<	1	Stripe, Reflective, Chevron Pattern Entire Rr Red/Amber Diamond Grade
80-75-1600		1	Reflective Stripe Material, White
		1	== General Pmpr/Tnkr - Loose Equipment - 328.000 03/31/08 =
90-01-0300		1	Equipment Loading Allowance of 2000#
90-01-5900	>	1	Whl Chocks Pair Zico #SAC-44 Fldg w/ Mts

